	Application No.		
	09/633,756		
Notice of Allowability	Examiner	Art Unit	
	Aaron W. Carter	2624	
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MEINTH herewith (or previously mailed), a Notice of Allowance (PNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATO of the Office or upon petition by the applicant. See 37 CF	RITS IS (OR REMAINS) CLOSED in FOL-85) or other appropriate communities. This application is su	this application. If not includ- nication will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to <u>9/14/06</u> .			
2. 🔀 The allowed claim(s) is/are <u>1-8 and 34-38</u> .			
<ul> <li>3.</li></ul>		r (f).	
<ol><li>Certified copies of the priority docume</li></ol>	nts have been received in Application	ı No	
<ol><li>Copies of the certified copies of the principle.</li></ol>	•	in this national stage applica	tion from the
International Bureau (PCT Rule 17.2(a	)).		
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING noted below. Failure to timely comply will result in ABA THIS THREE-MONTH PERIOD IS NOT EXTENDABLE	NDONMENT of this application.	a reply complying with the red	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) with the property of the pro			IOTICE OF
5. CORRECTED DRAWINGS (as "replacement shee	ts") must be submitted.		
(a) ☐ including changes required by the Notice of Dr	aftsperson's Patent Drawing Review	( PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	•	•	
(b) ☐ including changes required by the attached Ex Paper No./Mail Date	aminer's Amendment / Comment or i	n the Office action of	
Identifying indicia such as the application number (see 3 each sheet. Replacement sheet(s) should be labeled as			e back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about th attached Examiner's comment regarding REQUIRE</li> </ol>	e deposit of BIOLOGICAL MATE EMENT FOR THE DEPOSIT OF BIO	RIAL must be submitted. I LOGICAL MATERIAL.	Note the
Attachment(s) 1. □ Notice of References Cited (PTO-892)	5. ☐ Notice of Info	ormal Patent Application	
2.  Notice of Draftperson's Patent Drawing Review (PT			
3. Information Disclosure Statements (PTO/SB/08),		Mail Date Amendment/Comment	
Paper No./Mail Date 8/15/06  4. Examiner's Comment Regarding Requirement for D of Biological Material	9. 🗆 Other	Statement of Reasons for Allo	owance
HANNORT'S EXPLANT			

Application/Control Number: 09/633,756

Art Unit: 2624

#### **DETAILED ACTION**

1. This action is responsive to papers filed on 9/14/06.

## Response to Amendment

2. In response to applicant's amendment received on 9/14/06, all requested changes to the claims have been entered.

# Response to Arguments

3. Applicant's arguments, see Remarks, page 5, filed 9/14/06, with respect to claims 1 and 3 have been fully considered and are persuasive. The 35 USC 102 (b) rejection of claims 1 and 3 has been withdrawn.

### Allowable Subject Matter

- 4. Claims 1-8 and 34-38 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:
- 6. As to claims 1 and 3, none of the prior art teach or fairly suggest the limitation of "representation of boundaries comprising **connected** reference vectors extending along said boundaries", in combination with the other limitations of the claims. The prior art of Tokita, already of record, discloses a representation of boundaries comprising reference vectors extending along said boundaries (Fig. 2 4, wherein the broadest reasonable interpretation of the

Page 3

Art Unit: 2624

٠.٠

claims limitation of "extending along the boundaries", the prior art of Tokita discloses vectors extending along said boundaries in the (yj) direction, as seen in figures 2 and 4). However, Tokita does not teach or fairly suggest that representation of boundaries comprising **connected** reference vectors extending along said boundaries as disclosed in the limitations of claims 1 and 3.

7. As to claim 34 and as previously stated in the Office Action mailed on February 16, 2006, none of the prior art teach or fairly suggests the limitation of "a software candidate defect identifier operative to identify at least some candidate defects in the image, in software" in combination with the hardware defect identifier and other limitations of the claim. The prior art of Tokita discloses a system for image processing including a hardware candidate defect identifier operative to identify at least some candidate defects in the image, in hardware (column 4, lines 55-64 and Fig. 17, elements 9 and 10). However, Tokita does not teach or fairly suggest the limitation of a software candidate defect identifier as disclosed in claim 34.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2624

#### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron W. Carter whose telephone number is (571) 272-7445. The examiner can normally be reached on 8am - 4:30 am (Mon. - Fri.).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu can be reached on (571) 272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

awc